

## 3M™ E•A•R™ Hearing Protectors


Provides an economical way to protect your ears from harmful noise levels. Made from soft, comfortable, closed-cell polymer foam. Easy to use, simply roll tightly and insert in ear. Noise Reduction Rating (NRR) varies by style of earplug when used as directed. A must for all plant employees and guests. The original, yellow color...still the best.

- Classic™ – Soft polymer foam expands in the ear for a comfortable, custom fit
- TaperFit® 2 – Tapered shape makes insertion and removal easier, improved seal for increased noise protection



PART#	MFR #	NRR	DESCRIPTION
MIS-EAR	310-1001	29	3M E•A•R Classic Hearing Protectors
MIS-EARTF2C	312-1223	32	3M E•A•R TaperFit™ 2 Hearing Protectors – corded

Don't see the style or configuration you're looking for? **We can source it for you.**



## Jeff's Printer's Apron

*Designed specifically with printers in mind*

Jeff's printer's apron is not only loaded with features, it is manufactured from high-quality heavy-duty, durable blue denim that is comfortable to wear. The apron features special pockets designed to hold a 12" pica stick, pen and pencil, as well as three general-purpose utility pockets. All pockets are double stitched for long life.



PART#	DESCRIPTION
LIT-PAS	Jeff's Blue Denim Printer's Apron

## 3M™ 1100 Uncorded Foam Earplugs

Soft, uncorded hypoallergenic foam earplugs conform to the unique shape of each ear for excellent hearing protection and comfort. Color: Orange. 200 pairs/box.

- ▶ Smooth, dirt-resistant surface for hygiene
- ▶ Tapered design comfortable for a wide range of ear canal sizes



PART#	DESCRIPTION
3M-1100	3M #1100 Uncorded Foam Earplugs, N.R.R. 29

## Leightning® Muff Hearing Protectors

*Highest Noise Reduction Rating available*

The Leightning Muff offers the highest level of noise protection available in a hearing protector, ensuring superior protection in both high and low frequencies. They are ideal for use in the pressroom (especially near web presses) and bindery.

- ▶ Latest innovation in soft, slow-recovery foam gently wraps around the ears
- ▶ Ear muffs individually adjustable
- ▶ Extremely comfortable over extended periods of wearing – comfort equates to compliance
- ▶ Meets ANSI S.319-1979 and CSA Z94.2-M1984 Class A(L) Standards
- ▶ Made in USA



PART#	DESCRIPTION
MIS-LEM	Leightning Ear Muff, Noise Reduction Rating 31

## Safety Glasses

Shield your eyes from UV radiation and flying objects



These sleek, stylish and lightweight safety glasses feature dual lenses with integrated sideshields. The optically correct polycarbonate lenses block 99.9% of UV rays. Highly recommended for use around presses with UV drying units and exposure units with UV lamps.

Features include:

- ▶ Superior, black nylon frame
- ▶ Soft temple grips and floating nose pads adjust to fit most any face for long lasting comfort and better compliance
- ▶ Meets ANSI Z87+ Standard
- ▶ Available with clear lens or clear anti-fog lens



PART#	DESCRIPTION
MIS-SLSS	Single Lens Safety Spectacle, standard, clear lens
MIS-SLSSAF	Single Lens Safety Spectacle, clear, anti-fog lens

## Fluorescent Tubeguard Safety Sleeves – Clear

Contain broken glass in the workplace



Clear polycarbonate safety sleeves slip easily over the lamp and, in the event of breakage, contain the shattered glass fragments and phosphors. Available in both T8 and T12 sizes. The safety end caps are made of clear high-heat polypropylene, and two per sleeve are included in each carton of sleeves.

## Splashproof Chemical Goggles

Fog-free for added safety and vented for comfort

Don't make the mistake of using improper, perforated goggles when handling chemicals – your eyes need proper protection. Specifically designed to be worn when handling hazardous chemicals.



PART#	DESCRIPTION
MIS-GOGGLE	Splashproof Chemical Goggles

Don't see the style or configuration you're looking for? We can source it for you.

## Lithco Nuisance Dust Masks

Protects against spray powder, paper lint, dust and dirt

Here is your simple solution to prevent breathing airborne and nuisance particulates. Handy in the pressroom and bindery. Provides excellent protection while doing maintenance work. This dust mask is not intended as a respirator or for use around hazardous vapors, mists or dusts. Not NIOSH approved. Mask has an elastic headband and flexible metal stay over bridge of nose. Sold in packages of 50.



PART#	DESCRIPTION
MIS-NDM	Nuisance Dust Masks

PART #	DESCRIPTION	STYLE
ENC-48SST12	Clear Tubeguard with Caps - 48"	T12-1½"
ENC-96SST12	Clear Tubeguard with Caps - 96"	T12-1½"
ENC-48SST8	Clear Tubeguard with Caps - 48"	T8-1"
ENC-96SST8	Clear Tubeguard with Caps - 96"	T8-1"





## FiberLink™ Universal Premium Absorbent Socks, Pads and Rolls

Contain the spill with FiberLink Universal Absorbent Socks. Absorb the spill with FiberLink Universal Pads. FiberLink Universal Absorbents are ideal for surrounding either water or petroleum based spills, especially those generated by leaking or dripping equipment. Their unique fiber fill absorbs quickly and more effectively than cellulose or polypropylene and the durable outer cover holds up to rigorous use.

### Socks

- ▶ 3" in diameter, 48" long
- ▶ Flexible

### Pillows

- ▶ Compact
- ▶ Easily fit into tight, hard-to-reach areas

### Pads

- ▶ Available in three thicknesses so you can choose the absorbency and durability that fits your needs
- ▶ All pads are 15" X 18"
- ▶ Packaged in handy dispenser boxes



### Rolls

- ▶ Perfect for catching leaks, drips and spills of solvents, oils, water and even acids
- ▶ Universal rolls feature dimples for added strength
- ▶ Perforations for easy tearing to the size you need



### FiberLink Drum Pads

- ▶ Custom cut to fit 55-gallon drum heads
- ▶ Soak up spills from dripping pumps the safe, efficient way

Don't see the style or configuration you're looking for? **We can source it for you.**



PART#	DESCRIPTION	SIZE	QTY/CASE	ABSORBENCY
IMP-AS48	FiberLink Universal Absorbent Socks	3" Diameter x 48"	20/case	25 gal/case
IMP-APIL818	FiberLink Universal Pillows	8" x 18"	10/case	6 gal/case
IMP-APLW1518	FiberLink Universal Pads, Light Weight	15" x 18"	200/case	18 gal/case
IMP-APMW1518	FiberLink Universal Pads, Medium Weight	15" x 18"	100/case	13 gal/case
IMP-APHW1518	FiberLink Universal Pads, Heavy Weight	15" x 18"	100/case	15 gal/case
IMP-ARHW15150	FiberLink Universal Roll, Heavy Weight	15" x 150'	1 roll	15 gal/case
IMP-DP55	FiberLink Universal Heavy Weight	55-Gallon Drum Pads	5 pads	—



## Lithco Printer's Hazmat Spill Kit

Designed for the small-to-medium size printer to comply with OSHA and EPA requirements

This essential spill kit contains everything you need to absorb up to seven gallons of non-aggressive, hazardous material. Packaged in a UN/DOT approved 6½-gallon plastic drum with a screw-on lid. Kit contains:

- ▶ 3 – 3" x 4' Absorbent Socks
- ▶ 10 – Absorbent Pads
- ▶ 2 – Disposal Bags with Ties
- ▶ 2 – Hazmat Labels
- ▶ 1 – Pair Nitrile Gloves
- ▶ 1 – Splashproof Chemical Goggle
- ▶ 1 – Dust Mask

PART#	DESCRIPTION
MIS-HSK	Printer's Hazmat Spill Kit



Individual replacement items available.





### XSORB Universal Spill Clean-Up

XSORB Universal Spill Clean-Up is the efficient and safe answer to absorbing all types of spills. Its lightweight particulate leaves surfaces clean and dry. It is easy to use, even on tough spills such as oil, grease or paint while being non-toxic and eco-friendly. The speed at which XSORB cleans up spills is a time and labor saver versus clay.



6 qt. Bottle



2 cu. ft. Bag



25 lb. Box

PART#	DESCRIPTION	SIZE
IMP-XSORBBOT	XSORB Universal Spill Clean-Up	6 qt. Bottle
IMP-XSORBBAG	XSORB Universal Spill Clean-Up	2 cu. ft. Bag
IMP-XSORBBOX	XSORB Universal Spill Clean-Up	25 lb. Box

### Hazardous Spill Kit Pack for Vehicles

If you transport hazardous materials in a vehicle, you need a Vehicle Spill Kit. It conveniently fits behind or under most truck or van seats. Capacity to absorb approximately 5 gallons.

Kit contains:

- ▶ 1 – 2-liter bag, Universal Absorbent
- ▶ 3 – 3" x 4' Absorbent Socks
- ▶ 10 – Absorbent Pads
- ▶ 1 – Dustpan and Brush Set
- ▶ 2 – Disposal Bags
- ▶ 2 – Hazmat Labels
- ▶ 1 – Pair Nitrile Gloves
- ▶ 1 – Splashproof Safety Goggles
- ▶ 1 – Dust Mask



Vehicle Spill Kit



PART#	DESCRIPTION
MIS-HSKPV	Hazardous Spill Kit Pack for Vehicles
MIS-HSKD55	Hazardous Spill Kit – 55 Gallon



Individual replacement items available on spill kits.



### Should Clay be used for Spill Clean-up?

Clay may be used for kitties but it should never be used for Spill Clean Up.



Here are eight reasons why:

1. Clay leaves a mess.
2. Clay can generate heat.
3. Clay tracks all over the place.
4. Clay is cheap, but expensive to use.
5. Clay is heavy.
6. Clay clogs up your drains.
7. Clay contains harmful silica dust.
8. Clay is abrasive.

So Why Use Clay? Use XSORB!



Printer's Hazmat Spill Kit

### Hazardous Spill Kit 55-Gallon Drum Capacity



Designed for the medium-to-large printer or for warehouse applications, this all-inclusive spill kit can handle larger spills of approximately 55 gallons.

Kit contains:

- ▶ 3 – 2 cu.ft. bags, XSORB Universal Absorbent
- ▶ 9 – 3" x 4' Absorbent Socks
- ▶ 6 – 8" x 18" Absorbent Pillows
- ▶ 2 – Disposal Bags with Cable Ties
- ▶ 2 – Hazmat Labels
- ▶ 2 – Splashproof Safety Goggles
- ▶ 2 – Pairs of Nitrile Gloves
- ▶ 2 – Dust Masks





**Lithco Shur-Fit Disposable Vinyl Gloves**

*The optimum blend of comfort, sensitivity, fit, and protection*

Made of virgin vinyl, SHUR-FIT gloves are specially compounded to be softer and more flexible, yet able to resist tears and ruptures. Lightly powdered, they feature built-in stretch for easy on and off. The seamless construction offers excellent resistance to prepress and press room chemicals. Available in four sizes and interchangeable for either hand. They are guaranteed to do the job or you get your money back.



**Lithco Green Heavy Duty Vinyl Gloves**



Heavy-duty, yet affording plenty of dexterity and tactile sensitivity, these gloves protect against everything from dirty rollers and dampening covers to processor maintenance. Not recommended for use with acetone-based cleaners. Ambidextrous with beaded cuff and smooth finish. Gauge: 6.5 mil.

**Lithco Shur-Fit Latex Gloves**

*A necessity when using Acetone-based solvents*

Made from natural latex rubber, these 9.5" long gloves feature a rolled cuff and are lightly powdered. Recommended for use with acetone-based environmental press washes. Sold 100 gloves per dispenser box. Gauge: 5-mil. Color: Natural white.



**Lithco Heavy Duty Textured Latex Gloves**



*Powder-Free Latex Gloves*

These heavy duty gloves (gauge 14 mil ± 1 mil) are ideal for major press wash-ups involving acetone solvents. Extra long (12") length with tapered, beaded cuff protects forearm/shirt sleeves. Color: blue.

PART#	DESCRIPTION	GAUGE	QTY	SIZE
GLV-VS	Lithco Shur-Fit Disposable Vinyl Gloves	4-mil	100	Small
GLV-VM	Lithco Shur-Fit Disposable Vinyl Gloves	4-mil	100	Medium
GLV-VL	Lithco Shur-Fit Disposable Vinyl Gloves	4-mil	100	Large
GLV-VXL	Lithco Shur-Fit Disposable Vinyl Gloves	4-mil	100	X-large
GLV-VHDM	Lithco Green Heavy Duty Vinyl Gloves	6.5-mil	100	Medium
GLV-VHDM300	Lithco Green Heavy Duty Vinyl Gloves	6.5-mil	300	Medium
GLV-VHDL	Lithco Green Heavy Duty Vinyl Gloves	6.5-mil	100	Large
GLV-VHDL300	Lithco Green Heavy Duty Vinyl Gloves	6.5-mil	300	Large
GLV-VHDXL	Lithco Green Heavy Duty Vinyl Gloves	6.5-mil	100	X-Large
GLV-VHDXL300	Lithco Green Heavy Duty Vinyl Gloves	6.5-mil	300	X-Large
GLV-LS	Lithco Shur-Fit Latex Gloves	5-mil	100	Small
GLV-LM	Lithco Shur-Fit Latex Gloves	5-mil	100	Medium
GLV-LL	Lithco Shur-Fit Latex Gloves	5-mil	100	Large
GLV-LXL	Lithco Shur-Fit Latex Gloves	5-mil	100	X-Large
GLV-LHDM	Lithco Heavy Duty Textured Latex Gloves	14-mil	50	Medium
GLV-LHDL	Lithco Heavy Duty Textured Latex Gloves	14-mil	50	Large
GLV-LHDXL	Lithco Heavy Duty Textured Latex Gloves	14-mil	50	X-Large





# SAFETY

## Lithco Disposable Gloves



### Lithco Embossed Poly Gloves

Embossing gives the user distinct advantages...increased sensitivity, cooler than flat plastic and a firmer grip. Additionally, they are sanitized, offer protection from chemicals and eliminate fingerprint transfer. Available in three sizes and interchangeable for either hand. Sold in handy packages of 100 gloves or economical bulk packs of 1000.



### Lithco Disposable Black Heavy Duty Nitrile Gloves

*Industrial Strength*



Made from 100% soft-feel, black nitrile. Textured finger tips and palm increase dexterity. Ambidextrous, ten inch length with a tapered, beaded cuff. Complies with U.S. Government 21 CFR 177.2600 for Food Handling. Gauge 5-mil ( $\pm 0.5$  mil). Color: black. Powder free.



### Lithco Extra Heavy-Duty Disposable Nitrile Gloves



*2X thicker than our standard disposable nitrile gloves*

All of the features of our regular Disposable Nitrile gloves; however, they are 8-mil thick and lightly powdered. 50 ambidextrous gloves per dispenser box in sizes medium through extra large. Color: blue.



### Lithco Disposable Nitrile Gloves

*Nitrile is more chemically resistant than vinyl or latex*

These tough, durable, powder-free gloves provide added protection from punctures and tears, and they are only 4-mil thick so they offer extra sensitivity and comfort. Beaded cuff for easy on and off. Fully textured for improved grip. Allergy free. Note: Due to sizing differences, please order a size larger than your normal disposable gloves. Color: light blue.

PART#	DESCRIPTION	GAUGE	QTY	SIZE
GLV-PM	Lithco Embossed Poly Gloves	0.9-mil	100	Medium
GLV-PMB	Lithco Embossed Poly Gloves, Bulk	0.9-mil	1000	Medium
GLV-PL	Lithco Embossed Poly Gloves	0.9-mil	100	Large
GLV-PLB	Lithco Embossed Poly Gloves, Bulk	0.9-mil	1000	Large
GLV-NS	Lithco Disposable Nitrile Gloves	4-mil	100	Small
GLV-NM	Lithco Disposable Nitrile Gloves	4-mil	100	Medium
GLV-NL	Lithco Disposable Nitrile Gloves	4-mil	100	Large
GLV-NXL	Lithco Disposable Nitrile Gloves	4-mil	100	X-Large
GLV-NBHDS	Lithco Disposable Black HD Nitrile Gloves	5-mil	100	Small
GLV-NBHDM	Lithco Disposable Black HD Nitrile Gloves	5-mil	100	Medium
GLV-NBHDL	Lithco Disposable Black HD Nitrile Gloves	5-mil	100	Large
GLV-NBHDXL	Lithco Disposable Black HD Nitrile Gloves	5-mil	100	X-Large
GLV-NBHDXXL	Lithco Disposable Black HD Nitrile Gloves	5-mil	100	XX-Large
GLV-NXHDM	Lithco Extra HD Disposable Nitrile Gloves	8-mil	50	Medium
GLV-NXHDL	Lithco Extra HD Disposable Nitrile Gloves	8-mil	50	Large
GLV-NXHDXL	Lithco Extra HD Disposable Nitrile Gloves	8-mil	50	X-Large





### Lithco Durable Nitrile Gloves



Nitrile rubber is highly chemically resistant. It also resists punctures and tears for a longer life glove. This flexible glove has an embossed diamond-tread design to give you a safe, sure grip when handling slippery items. Bright green color for high visibility makes them extraordinarily safe for working near moving machinery parts. Flock lined. Sizes 8 – 11.



### Lithco "Double Dipped" PVC Coated Gloves

*Soft jersey lining offers cushioning and moderate insulation*

PVC offers tough, flexible, liquid-proof protection plus superior resistance to abrasion. PVC gloves provide protection against most industrial chemicals including acids, alkalis, oils and petroleum distillates. An exceptional glove for the pressroom, it is highly flexible, shaped for working ease and fully textured to provide a non-slip, sure-grip. Color: black. Length: 12". Size: Large.



### Lithco PVC Dot String Gloves



*Extra grip, general-purpose work glove*

Breathable string gloves protect the hands from abrasions. The PVC dots give better grip when handling paper, plates or cartons. Gloves are ambidextrous. Available in two styles – dots one-side or two-sided. Two-sided gloves can be reversed as the dots wear. Available in sizes medium and large. Sold by the pair.

### Lithco Neoprene Gloves

*Perfect for press wash-ups, deep-etch plate processing or processor cleaning*

These heavy duty gloves protect hands from exposure to most petroleum products, caustics and acids. Textured palm and fingers provide a non-slip grip. Color: Black. Length: approximately 11". Available in medium, large and X-large.



PART#	DESCRIPTION	GAUGE	QTY	SIZE
GLV-GNG8	Lithco Durable Nitrile Gloves	15-mil	Pair	X-small
GLV-GNG9	Lithco Durable Nitrile Gloves	15-mil	Pair	Small
GLV-GNG10	Lithco Durable Nitrile Gloves	15-mil	Pair	Medium
GLV-GNG11	Lithco Durable Nitrile Gloves	15-mil	Pair	Large
GLV-NPM	Lithco Neoprene Gloves	28 mil	Pair	Medium
GLV-NPL	Lithco Neoprene Gloves	28 mil	Pair	Large
GLV-NPXL	Lithco Neoprene Gloves	28 mil	Pair	X-Large
GLV-PVCL	Lithco "Double Dipped" PVC Glove	N/A	Pair	Large
GLV-PVCDG1L	Lithco PVC Dot 1-sided String Gloves	N/A	Pair	Ladies
GLV-PVCDG1M	Lithco PVC Dot 1-sided String Gloves	N/A	Pair	Mens
GLV-PVCDG2L	Lithco PVC Dot 2-sided String Gloves	N/A	Pair	Ladies
GLV-PVCDG2M	Lithco PVC Dot 2-sided String Gloves	N/A	Pair	Mens





### Base-Line Durable Nitrile Gloves

Nitrile rubber is highly chemically resistant. It also resists punctures and tears for a longer life glove. This flexible glove has an embossed diamond-tread design to give you a safe, sure grip when handling slippery items. Bright green color for high visibility makes them extraordinarily safe for working near moving machinery parts. Flock lined. Color: green. Sizes 8–11.



### Base-Line Nitrile Disposable Gloves

A form fitting, lightly textured, sure surface glove, offering superior protection. They have a higher resistance to tearing, punctures and chemicals than either latex or vinyl gloves. Color: blue.



### Lithco No-Kut Kevlar® PVC Dot String Gloves



*Protect your hands when mounting or handling plates and paper*

These gloves are 100% Kevlar, providing medium-duty cut resistance. Available in four sizes, the glove is ambidextrous with an elasticized cuff. Color: yellow with black PVC dots on both sides for extended wear. Colored cuffs for easy size identification. Sold by the pair.



PART#	DESCRIPTION	QTY	SIZE
GLV-NKK7	Lithco No-Kut Kevlar Gloves	Pair	7/Small
GLV-NKK8	Lithco No-Kut Kevlar Gloves	Pair	8/Medium
GLV-NKK9	Lithco No-Kut Kevlar Gloves	Pair	9/Large
GLV-NKK10	Lithco No-Kut Kevlar Gloves	Pair	10/X-Large

PART#	DESCRIPTION	GAUGE	QTY	SIZE
JOM-GLG8	Base-Line Nitrile Gloves – Green (Jomac 315F8)	15-mil	Pair	X-Small
JOM-GLG9	Base-Line Nitrile Gloves – Green (Jomac 315F9)	15-mil	Pair	Small
JOM-GLG10	Base-Line Nitrile Gloves – Green (Jomac 315F10)	15-mil	Pair	Medium
JOM-GLG11	Base-Line Nitrile Gloves – Green (Jomac 315F11)	15-mil	Pair	Large
JOM-ND100M	Base-Line Nitrile Disposable Gloves – Blue	4-mil	100	Medium
JOM-ND100L	Base-Line Nitrile Disposable Gloves – Blue	4-mil	100	Large

### Base-Line Heavy Duty Green Vinyl Disposable Gloves

Heavy duty, yet affording plenty of “feel,” these gloves protect against everything from ink-covered rollers and dirty dampening covers, to full-scale press wash-ups.

PART#	DESCRIPTION	GAUGE	QTY	SIZE
JOM-GVGM100	Base-Line Heavy Duty Green Vinyl Disposable Gloves	7-mil	100	Medium
JOM-GVGM300	Base-Line Heavy Duty Green Vinyl Disposable Gloves	7-mil	300	Medium
JOM-GVGL100	Base-Line Heavy Duty Green Vinyl Disposable Gloves	7-mil	100	Large
JOM-GVGL300	Base-Line Heavy Duty Green Vinyl Disposable Gloves	7-mil	300	Large





# SAFETY

## Disposable & Durable Gloves



### Gloveworks Heavy Duty Orange Textured Nitrile Disposable Gloves

*THE disposable glove for your most demanding jobs*

Gloveworks heavy-duty textured nitrile gloves offer incredible levels of grip, wet or dry. This glove offers the dexterity of a 7-mil glove, but the raised diamond pattern provides the durability of a 10-mil glove. Take a close look at that serious texture! The ultra-high visibility orange really stands out to enhance safety. The inside of the glove features a polymer coating which makes it easier to don and remove when you need a fresh pair. Excellent chemical resistance. Beaded cuff. Latex free. Powder free.



PART#	DESCRIPTION	MFR. #	GAUGE	QTY	SIZE
GLV-NOHDTM	Gloveworks HD Orange Nitrile Disposable Gloves	GWON/M	7-mil	100	Medium
GLV-NOHDTL	Gloveworks HD Orange Nitrile Disposable Gloves	GWON/L	7-mil	100	Large
GLV-NOHDTXL	Gloveworks HD Orange Nitrile Disposable Gloves	GWON/XL	7-mil	100	X-Large

### Ansell Touch N Tuff® Disposable Nitrile Gloves

*Touch N Tuff gloves are static dissipative*

Ansell Touch N Tuff is one of the best powder-free, disposable nitrile gloves available. They provide superior chemical resistance and are up to three times more puncture resistant than either latex or vinyl. Component materials comply with FDA regulations for food handling. Recommended for manufacturing, maintenance, delicate or intricate parts handling, laboratory analysis/technical work and HazMat clean-up. Sold in boxes of 100 gloves in sizes small through extra large. Color: Teal. Gauge: 4 mil. Length: 9.5".



**Ansell**

### Ansell Sol-Vex® Premium Nitrile Gloves

*Available unlined or flock lined*

High performance Nitrile provides an outstanding combination of strength, flexibility and chemical resistance. Curved fingers and contoured palm minimize hand fatigue. Embossed surface improves wet-grip. Series 37155 is unlined. Series 37175 is flock-lined. Sold by the pair in sizes 9, 10 and 11. Color: safety green. Gauge: 15 mil. Length: 13".



Unlined Lined

PART#	DESCRIPTION	MFR. #	GAUGE	QTY	SIZE
GLV-AN92600S	Ansell Touch N Tuff Disposable Nitrile Gloves	92-600-6.5	5-mil	100	Small
GLV-AN92600M	Ansell Touch N Tuff Disposable Nitrile Gloves	92-600-7.5	5-mil	100	Medium
GLV-AN92600L	Ansell Touch N Tuff Disposable Nitrile Gloves	92-600-8.5	5-mil	100	Large
GLV-AN92600XL	Ansell Touch N Tuff Disposable Nitrile Gloves	92-600-9.5	5-mil	100	X-Large
GLV-AN371559	Ansell Sol-Vex Premium Nitrile Gloves Size 9 unlined	37-155-9	15-mil	Pair	Medium
GLV-AN3715510	Ansell Sol-Vex Premium Nitrile Gloves Size 10 unlined	37-155-10	15-mil	Pair	Large
GLV-AN3715511	Ansell Sol-Vex Premium Nitrile Gloves Size 11 unlined	37-155-11	15-mil	Pair	X-Large
GLV-AN371759	Ansell Sol-Vex Premium Nitrile Gloves Size 9 lined	37-175-9	15-mil	Pair	Medium
GLV-AN3717510	Ansell Sol-Vex Premium Nitrile Gloves Size 10 lined	37-175-10	15-mil	Pair	Large
GLV-AN3717511	Ansell Sol-Vex Premium Nitrile Gloves Size 11 lined	37-175-11	15-mil	Pair	X-Large

## Mapa Stanzoil® Knit-Lined Neoprene Gloves



12" gauntlet for added protection

Medium-weight knit-lined gloves feature a unique multi-layer construction to avoid the thin spots and pinholes common to single-dipped supported gloves. Soft, absorbent interlock knit cotton liner adds comfort, easy on-off and moderate temperature protection. Available in sizes large and X-large.

- ▶ Roughed over-dip provides a positive non-slip grip for hard-to-grasp materials
- ▶ Two-color construction for a visual indicator of glove wear-through
- ▶ Washable
- ▶ Resists deterioration caused by oils, acids, resins, caustics, alcohols, solvents, gasoline, kerosene and other petroleum derivatives
- ▶ Meets USDA 21 CFR 170-199, CE approved



## Atlas Perfect Fit 300 Cotton/Rubber Gloves



Natural rubber palm and finger coating

- ▶ Gray cotton with blue rubber coating on palms and fingers
- ▶ 10-gauge seamless knitted liner
- ▶ Ergonomic shape
- ▶ Excellent wet and dry grip
- ▶ Machine washable




## Best #730 Nitri-Solve Nitrile Gloves



Made from a special nitrile compound

- ▶ Case-hardened finish enhances chemical and abrasion resistance while making it easier to pull gloves on and off
- ▶ Flock lined
- ▶ Special finish allows enhanced wet grip making wet work easier and safer
- ▶ Ergonomic design maximizes comfort
- ▶ Excellent protection against cuts, abrasions, punctures and resistance to a wide range of chemicals
- ▶ Size 10 – other sizes available



Looking for gloves for the darkroom or paper handling? See Prepress for a full line of cotton, nylon and anti-static gloves.

PART #	DESCRIPTION	MFR. #	GAUGE	QTY	SIZE
GLV-NL34L	Mapa Stanzoil Knit-Lined Neoprene Gloves	334948	N/A	Pair	Large
GLV-NL34XL	Mapa Stanzoil Knit-Lined Neoprene Gloves	334949	N/A	Pair	X-Large
GLV-BNS73010	Best Nitri-Solve Nitrile Gloves	730-10	15-mil	Pair	Large
GLV-AT300M	Atlas Perfect Fit 300 Cotton/Rubber Gloves	300-M	N/A	Pair	Medium
GLV-AT300L	Atlas Perfect Fit 300 Cotton/Rubber Gloves	300-L	N/A	Pair	Large



# JUSTRITE® Start using America's most widely used handling system for hazardous liquids

Justrite's S.T.U.D. - Storage, Transfer, Use, and Disposal—system of products provide everything you need to safely manage hazardous materials. Long regarded the premier manufacturer of safety products for the storage and dispensing of flammable liquids, Justrite® and Lithco team up to offer these well-designed, well-known safety products for you. If you don't see the Justrite Product you need, please inquire. We can and will get it for you!

## Plunger Cans

The best way to handle flammable liquids used in "sponging" and cleaning applications. Can has spring-loaded plunger with perforated-metal, fire-baffle dasher. Made of chemically resistant Ryton® and brass, the pump base is designed to leave less liquid in the bottom before having to refill. Depressing dasher moistens rag or sponge while surplus drains back into can. Powder coat finish is fire engine red for high visibility.



PART #	DESCRIPTION	SIZE
JUS-10008	Plunger Can - 4 <sup>7</sup> / <sub>8</sub> " O.D. x 6" High, Dasher 2 <sup>3</sup> / <sub>4</sub> " diameter	1 Pt.
JUS-10108	Plunger Can - 7 <sup>1</sup> / <sub>4</sub> " O.D. x 6" High, Dasher 5" diameter	1 Qt.
JUS-10208	Plunger Can - 7 <sup>1</sup> / <sub>4</sub> " O.D. x 8" High, Dasher 5" diameter	2 Qt.
JUS-10308	Plunger Can - 7 <sup>1</sup> / <sub>4</sub> " O.D. x 11" High, Dasher 5" diameter	1 Gal.
JUS-14018	Nonmetallic Plunger Can - 5 <sup>1</sup> / <sub>2</sub> " O.D. x 8 <sup>1</sup> / <sub>4</sub> " High, Dasher 5" diameter	1 Qt.

## Nonmetallic Dispensing Cans

Nonmetallic Dispensing Cans permit easy, one-hand dispensing of liquids directly onto work surface. Brass dispenser valves are leakproof and self-closing to minimize spills and control excess. Brass valves are FM-approved and recommended for flammables. Rugged high-density polyethylene body is textured and shaped for a firm grip.



## Polyethylene Dispenser Bottles

*Reduce hazards with this spill-proof dispenser bottle*

This dispenser bottle features a unique self-closing ball valve for safer, smoother dispensing of liquids. Polyethylene and stainless steel construction.



PART #	DESCRIPTION	SIZE
JUS-14009	Polyethylene Bottle w/ Self-Closing Flex. Dispensing Tube	16 Oz.
JUS-14011	Polyethylene Bottle w/ Self-Closing Flex. Dispensing Tube	32 Oz.
JUS-14004	Nonmetallic Dispenser Can 3 <sup>3</sup> / <sub>8</sub> " Diameter x 5 <sup>1</sup> / <sub>2</sub> " High - Red	8 oz.
JUS-14010	Nonmetallic Dispenser Can 4" Diameter x 10 <sup>1</sup> / <sub>2</sub> " High - Red	1 qt.
JUS-14012	Nonmetallic Dispenser Can 4" Diameter x 10 <sup>1</sup> / <sub>2</sub> " High - Translucent	1 qt.



## Bench Cans

The safe way to clean small parts in solvent. Place work on spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Dasher acts as flame arrester. Hinged cover minimizes evaporation loss, and provides for cleaner environment. Optional parts basket available.



PART #	DESCRIPTION	SIZE	APPROVAL*
JUS-10295	Bench Can, 9 <sup>3</sup> / <sub>8</sub> " OD x 3 <sup>1</sup> / <sub>4</sub> " H, plated steel dasher 7 <sup>1</sup> / <sub>2</sub> " diameter	2 Qt.	FM
JUS-10370	Bench Can, 9 <sup>3</sup> / <sub>8</sub> " OD x 4 <sup>1</sup> / <sub>2</sub> " H, w/ 1 <sup>1</sup> / <sub>2</sub> " H x 6 <sup>1</sup> / <sub>4</sub> " dia. parts basket, plated steel dasher 7 <sup>1</sup> / <sub>2</sub> " diameter	1 Gal.	FM
JUS-10375	Bench Can, 9 <sup>3</sup> / <sub>8</sub> " OD x 4 <sup>1</sup> / <sub>2</sub> " H, plated steel dasher 7 <sup>1</sup> / <sub>2</sub> " diameter	1 Gal.	FM
JUS-10575	Bench Can, 11 <sup>1</sup> / <sub>2</sub> " OD x 5 <sup>7</sup> / <sub>8</sub> " H, plated steel dasher 9 <sup>3</sup> / <sub>4</sub> " diameter	2 Gal.	FM
JUS-11171	Parts Basket, 1 <sup>1</sup> / <sub>2</sub> " H x 6 <sup>1</sup> / <sub>4</sub> " diameter	N/A	N/A

## Justrite Grounding Straps – a.k.a. Antistatic Wires

*Required under Federal Codes*

Grounding Straps or Antistatic Wires prevent sparks from static electricity generated by movement and flow of flammable liquids. Bonding between containers during liquid transfer, and connecting drums to an earth ground are required under Federal Codes as well as most local jurisdictions. The standard strap is three feet long and has 5/8" alligator clips at each end. For proper grounding, two straps are required – one from drum to ground and the other from drum or pump to receiving container. Longer straps and custom configurations are available. Please inquire.



### IMPORTANT INFORMATION REGARDING GROUNDING STRAPS

Proper grounding is required when dispensing flammable liquids. Draining or pouring flammable liquids can build up static electricity. This static electricity can easily cause a spark near the flammable liquid, which in turn can ignite the vapors and cause an explosion and/or fire. To prevent static sparks when dispensing flammable liquids, OSHA requires that the nozzle and container be grounded.

Specifically, OSHA states:

"Class I liquids shall not be dispensed into containers unless the nozzle and container are electrically interconnected. Where the metallic floorplate on which the container stands while filling is electrically connected to the fill stem or where the fill stem is bonded to the container during the filling operation by means of a bond wire, the provisions of the section shall be deemed to have been complied with."  
[Regulation 29 CFR 1910.106 (e)(6)(ii)]

PART #	DESCRIPTION
JUS-08500	Flexible Grounding Strap – 3' with 5/8" clips



Looking for other Justrite items? Inquire!



## Safety Cans

Fire protective, in-plant storage of flammable liquids. All models have double-wire mesh flame arresters for fastest pour-through and leak-tight, self-closing spouts for automatic pressure relief. Metal cans are heavy-duty terne plate with double-seamed construction. Powder coat finish is fire engine red for high visibility. Non-metallic cans are made from inert, high-density polyethylene.



Oval



Type I



Type II

PART #	DESCRIPTION	SIZE	APPROVAL *
JUS-14160	Justrite Oval Polyethylene Safety Can Type I w/Stainless Steel Hardware	1 Gal	FM
JUS-14261	Justrite Oval Polyethylene Safety Can Type I w/Stainless Steel Hardware	2½ Gal	FM
JUS-14561	Justrite Oval Polyethylene Safety Can Type I w/Stainless Steel Hardware	5 Gal	FM
JUS-7110100	Justrite Metal Safety Can Type I – Improved	1 Gal	FM, UL
JUS-7120100	Justrite Metal Safety Can Type I – Improved	2 Gal	FM, UL
JUS-7150100	Justrite Metal Safety Can Type I – Improved	5 Gal	FM, UL
JUS-7220120	Justrite Metal Safety Can Type II – Accuflow	2 Gal	FM, UL
JUS-7250120	Justrite Metal Safety Can Type II – Accuflow	5 Gal	FM, UL

## Oily Waste Cans

Essential wherever solvent-soaked cloths and rags are used. Self-closing lids keep cans closed when not in use. Round construction and elevated bottom encourage circulation of air around can to dispense heat and prevent spontaneous combustion. Powder coat finish is fire engine red or yellow for high visibility. Colors can be used to segregate materials or to differentiate department locations.



RED PART #	YELLOW PART #	DESCRIPTION	SIZE	APPROVAL *
JUS-9100	JUS-9101	Oily Waste Can - Foot Operated Cover - Self-closing	6 Gal.	FM/UL
JUS-9300	JUS-9301	Oily Waste Can - Foot Operated Cover - Self-closing	10 Gal.	FM/UL
JUS-9500	JUS-9501	Oily Waste Can - Foot Operated Cover - Self-closing	14 Gal.	FM/UL
JUS-9700	JUS-9701	Oily Waste Can - Foot Operated Cover - Self-closing	21 Gal.	FM/UL

\*FM = Factory Mutual, UL = Underwriters' Laboratories, N = National Fire Protection Association Code 30, O = Complies with OSHA, U = Complies with Uniform Fire Code, N/A = Not Applicable





## Flammable Liquid Cabinets




Safe and convenient storage for your flammable liquids

Small size safety storage cabinets that are especially well suited for use in small to medium size print shops. Welded double-wall construction with 3-point lock, leveler feet, 1 1/2" air space and 2" leakproof sill. Available with manual or self-closing doors. Yellow enamel finish. Note: Many states, including California, require self-closing doors. Check your local code before ordering.

**The Fire Triangle**



**All three legs of the triangle must be present for a fire to start.**

**Removing any one leg of the fire triangle stops a fire from starting.**

Examples:

**Heat**  
Mechanical sparks, static electric discharge, open flame, smoking, frictional heat, lightning


**Fuel**  
A. Solids: paper, wood, plastic, fabric  
B. Liquids: flammable liquids, vapor such as gasoline, cooking oil, nail polish remover  
C. Gases: natural gas, propane, butane

**Oxygen** Air

## Self-Closing Cabinets

PART #	DESCRIPTION	SIZE	APPROVAL *
JUS-891220	Flammable Liquid Cabinet - 1 door - 35" x 23 1/4" x 18"	12 Gal.	FM/N/O/U
JUS-893020	Flammable Liquid Cabinet - 2 doors - 44" x 43" x 18"	30 Gal.	FM/N/O/U
JUS-894520	Flammable Liquid Cabinet - 2 doors - 65" x 43" x 18"	45 Gal.	FM/N/O/U
JUS-896020	Flammable Liquid Cabinet - 2 doors - 65" x 34" x 34"	60 Gal.	FM/N/O/U
JUS-895420	Flammable Liquid Cabinet - 1 door - 65" x 23 1/4" x 34"	54 Gal.	FM/N/O/U
JUS-899020	Flammable Liquid Cabinet - 2 doors - 65" x 43" x 18"	45 Gal.	FM/N/O/U

Justrite cabinets comply with OSHA regulations, are designed to meet NFPA Standard 30, and most have been tested and approved by Factory Mutual Research and/or Underwriters Laboratories.




## Manual-Closing Cabinets

PART #	DESCRIPTION	SIZE	APPROVAL *
JUS-891200	Flammable Liquid Cabinet - 1 door - 35" x 23 1/4" x 18"	12 Gal.	FM/N/O
JUS-893000	Flammable Liquid Cabinet - 2 doors - 44" x 43" x 18"	30 Gal.	FM/UL/N/O
JUS-894500	Flammable Liquid Cabinet - 2 doors - 65" x 43" x 18"	45 Gal.	FM/UL/N/O
JUS-896000	Flammable Liquid Cabinet - 2 doors - 65" x 34" x 34"	60 Gal.	FM/N/O

\*FM = Factory Mutual, UL = Underwriters' Laboratories, N = National Fire Protection Association Code 30, O = Complies with OSHA, U = Complies with Uniform Fire Code, N/A = Not Applicable



## EcoPolyBlend™ Spill Containment Pallets



These pallets are designed to keep personnel safe from accidental slips due to spills or leaking drums. Also limits exposure to potentially hazardous chemicals and reduces clean-up costs from spills. Designed to hold heavy loads. Wide forklift pockets allow easy relocation. Big, oversize sump captures spills and meets EPA, SPCC, NFPA 1 and International Fire Code spill containment regulations. Made from 100% recycled content.



PART #	DESCRIPTION
JUS-28623	Justrite Ecopolyblend 2-Drum In-Line Pallet
JUS-28625	Justrite Ecopolyblend 2-Drum In-Line Pallet with Drain
JUS-28631	Justrite Ecopolyblend 4-Drum In-Line Pallet
JUS-28633	Justrite Ecopolyblend 4-Drum In-Line Pallet with Drain
JUS-28635	Justrite Ecopolyblend 4-Drum Square Pallet
JUS-28637	Justrite Ecopolyblend 4-Drum Square Pallet with Drain

## Smokers Cease-Fire®

*Eliminate litter while providing a safe disposal for cigarette butts*

The innovative self-extinguishing design safely collects unsightly cigarette butts and reduces the risk of fire. Made of sturdy flame-retardant polyethylene, this low maintenance smoker's friend won't rust, dent or crack. A 16-quart galvanized steel liner removes for easy cleaning. Place by all access doors to help maintain a smoke-free work environment. Dimensions are 16½" outer diameter x 38½" high.



PART #	DESCRIPTION	COLOR
JUS-26800	Smokers Cease-Fire Cigarette Butt Receptacle	Pewter Gray
JUS-26800B	Smokers Cease-Fire Cigarette Butt Receptacle	Adobe Beige
JUS-26800T	Smokers Cease-Fire Cigarette Butt Receptacle	Terra Cotta
JUS-26800D	Smokers Cease-Fire Cigarette Butt Receptacle	Deco Black
JUS-26800G	Smokers Cease-Fire Cigarette Butt Receptacle	Forest Green



## Waste Containers for Flammables

*Convenient self-latching lid simplifies your waste collection and containment efforts*

- Simple one hand operation, automatically latches
- Gasketed lid controls vapor release, no VOC emissions
- Complies with NESAM



Establish safe and compliant procedures by neutralizing the element of human error when collecting solvent soaked rags or combustible trash. The new self-latching safety drum cover features a spring-loaded, rotary latch mechanism, which allows the cover to securely close via gravity or a slight touch of the hand providing an air tight seal. This reduces the potential for the drum lid to be left open by mistake, eliminating the chance for oxygen to enter and start a fire. Latch trigger can be actuated with a single finger to release the lid. The latch shroud keeps fingers out of the pinch zone while acting as a handle to lift the lid. A vent is installed which relieves pressure build-up between 3 and 5 psig at elevated temperatures for safety.



PART #	DESCRIPTION	APPROVAL *
JUS-26753	Self-Latching 55-gallon Drum Lid with Vent and Gasket	FM, NESAM, EPA
JUS-26054	Open Head 55-Gallon Drum	N/A